



Reporting Issues

- MIMMS -VS - SASSY
- Calculated -vs - reported

One Option

Blue = MARES

Green = SASSY

* = No Matching
UIC

	Auth	Poss	D/L	S	R	MR	RM4 Remar ks
	10	10	2	100	80	80	
Unit A	11	22	4	200	82	164	
	*	*	*	*	*	*	
	0						
Unit B	11	11		100	100	100	
Totals							



Option Two

MERIT - ID-NR-4 (UNCLASSIFIED) - Microsoft Internet Explorer provided by Navy Marine Corps Intranet

Address: https://merit.logcom.usmc.mil/merit/dispatch/show.usmc_nr_readiness?equiplevel=commodity&orglevel=mef&orgcode=ALL

MARINE CORPS EQUIPMENT READINESS INFORMATION TOOL

R (95%), MR (83%) I MEF Camp Pendleton, CA: S (77%), R (94%), MR (72%) II MEF Camp Lejeune, NC: S (86%), R (95%), MR (82%)

Home | TSC | TLCMAT | Readiness Map | Tabular Readiness | Search | Customize | Contact | Help | Logout

System | Maintain | Monitor | Run

ID-NR-4

USMC NON-REPORTABLE READINESS BY COMMODITY

SASSY As Of: Fri, Aug 12 2005 (Julian: 05224)

DESCRIPTION	COMMODITY ↑	AUTH	POSS	EXCESS	DEF	D/L	S	R	MR
Communications and Electronics	A	164847	132169	12602	45280	1228	73%	99%	72%
Engineering	B	23888	16967	298	7219	283	70%	98%	69%
NBC Equipment	C	3924866	15990905	13125268	1059229	176	73%	100%	73%
Motor Transport Vehicles	D	10143	7942	84	2285	141	77%	98%	76%
Ordnance	E	482414	491191	54265	45488	1682	91%	100%	90%
Marine Corps Peculiar Equipment	F	720	838	120	2	24	100%	97%	98%
Communication and Electronics	H	112258	107679	5125	9704	641	91%	99%	91%
Engineering	J	3200	2838	150	512	2	84%	100%	84%
General Supply	K	926740	859579	23059	90220	13	90%	100%	90%
Motor Transport	M	1844	1257	75	662	0	64%	100%	64%
Ordnance	N	4240	4871	1087	456	0	89%	100%	89%
Communication and Electronics	T	1	0	0	1	0	0%	0%	0%

Done

Start | Inbo... | Mail... | Sam... | Look... | Look... | Look... | Look... | Pres... | Trut... | MER... | Age... | Internet

16:23

Accurate Reporting

- Most units have some problem(s) with accuracy between MIMMS and LM2
 - Closed EROs
 - EROs not found in MIMMS
 - Often deadlines on the unit TAMCN report that are not reflecting in LM2



Suggested Solution

Calculate and display readiness based on open MIMMS records instead of using reported LM2 values.